



One-Step Disinfectant Cleaner And Deodorant

Meets OSHA's BloodBorne pathogen standards for HBV and HIV.

One-step quaternary disinfectant cleaner and deodorant to clean and disinfect hard surfaces in hospitals, nursing homes and other facilities.



Broad Spectrum Activity

Provides broad spectrum kill of micro-organisms including HBV, HIV-1, VRE, MRSA, GRSA, MRSE, VISA, PRSP, Herpes Simplex Types 1&2, Influenza Type A₂, Adenovirus, Rotavirus and many more.

Cost Effective

Highly concentrated quaternary formula provides excellent one-step, cost effective cleaning and disinfection.

No Rinse Formula Will Not Damage Floor Finishes

Use-solution is neutral to floor finish so it will not dull, pit or soften floor finishes.

Provides Effective Odor Control

Kills the organisms that cause odors and works as an odor counteractant to further eliminate odors not associated with bacteria.



Johnson wax
PROFESSIONAL

VIREX™ II

ONE-STEP DISINFECTANT CLEANER AND DEODORANT

Profile

WHAT IS IT?	One-step disinfectant cleaner and deodorant
WHAT DO I USE IT ON?	For use on hard, inanimate, non-porous surfaces such as floors, walls, porcelain, and plastic surfaces in hospitals, nursing homes, schools, colleges and hotels.
HOW DO I USE IT?	Can be applied with a mop, sponge or cloth, as well as coarse spraying or soaking.
CAUTIONS	To disinfect hard, non-porous surfaces, treated surfaces must remain wet for 10 minutes. Allow surfaces to remain wet for 1-minute to kill HIV-1, 5-minutes to kill HBV.

Specifications

	VIREX II 128	VIREX II 256
Dilution:	1:128	1:256
Active Ingredients:	8.447% quaternary germicides	16.894% quaternary germicides
% Actives in Use Solution:	660 ppm	660 ppm
EPA Reg. No.:	70627-21	70627-24
Surfactants:	Nonionic and cationic	Nonionic and cationic
Color/Form:	Transparent blue liquid	Transparent blue liquid
Fragrance:	Mild	Mild
pH: (concentrate):	10.0-10.5	10.0-10.5
(use-solution):	9.0-10.0	9.0-10.0
Solubility in Water:	Complete	Complete
Cleaning Performance:	Good	Good
Rinsability:	Excellent	Excellent
Foaming:	Slight to moderate	Slight to moderate
Specific Gravity (water = 1.0):	1.0	1.0
Phosphates:	None	None
Flash Point:	None (TCC)	None (TCC)
Chemical Stability:	Chemically stable from 40°F to 100°F (germicidal properties not affected by storage in this temperature range)	
Shelf Life: (concentrate)	36 months stability	36 months stability
(use solution)	Up to one year bactericidal stability	Up to one year bactericidal stability

HMIS/NFPA HAZARD RATING

	Virex II 128	Use Solution	Virex II 256	Use Solution
Health	3	1	3	1
Flammability	0	0	0	0
Reactivity	0	0	0	0

Packaging

Pack/Size	Product Code
VIREX II 256	
1/5L RTD Unit (Fill)	3062768
2/1.5L RTD Units (Fill)	3062637
2/1.5L RTD Units (Spray)	3364740
4/1 Gallon Containers	4332
1/5 Gallon ENVIROBOX™	4333
6/32 oz. ACCUMIX™ Containers	4331
4/64 oz. SOLUTIONS CENTER™ Cartridges	4337
2/84.5 oz. J-FILL™ Cartridges	4329
VIREX II 128	
4/1 Gallon Containers	3786

Safety Reminder

Please make sure your employees read and understand the product label and Material Safety Data Sheet before using this product. The label contains directions for use, and both the label and MSDS contain hazard warnings, precautionary statements and first aid procedures. MSDS's are available on line at www.johnsondiversey.com or by calling 1-888-352-2249.

Efficacy Summary

VIREX II disinfectant contains 660 ppm of active quaternary germicide making it highly effective against a wide variety of pathogenic microorganisms when diluted as directed:

Bacteria:

Pseudomonas aeruginosa, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Acinetobacter calcoaceticus*, *Bordetella bronchiseptica*, *Burkholderia cepacia*, *Campylobacter fetus*, *Chlamydia psittaci*, *Citrobacter freundii*, *Enterobacter agglomerans*, *Enterobacter cloacae*, *Enterobacter liquefaciens*, *Enterococcus faecalis*, *Enterococcus hirae*, *Escherichia coli*, *Escherichia coli* 0157:H7, *Flavobacterium meningosepticum*, *Haemophilus influenza*, *Hafnia alvei*, *Klebsiella oxytoca*, *Klebsiella typhi*, *Legionella pneumophila*, *Listeria monocytogenes*, *Micrococcus luteus*, *Micrococcus sedentarius*, *Neisseria gonorrhoeae*, *Pasteurella multocida*, *Proteus mirabilis*, *Proteus vulgaris*, *Pseudomonas diminuta*, *Pseudomonas fluorescens*, *Pseudomonas putida*, *Pseudomonas stutzeri*, *Salmonella choleraesuis pullorum*, *Salmonella enteritidis*, *Salmonella gallinarum*, *Salmonella schottmuelleri*, *Salmonella typhi*, *Salmonella typhimurium*, *Serratia marcescens*, *Shigella dysenteriae*, *Shigella flexneri*, *Shigella sonnei*, *Staphylococcus aureus* (Toxic Shock), *Staphylococcus epidermidis*, *Staphylococcus haemolyticus*, *Streptococcus agalactiae*, *Streptococcus mutans*, *Streptococcus pyogenes*, *Vibrio cholera*, *Yersinia enterocolitica*

Antibiotic-Resistant Bacteria:

E. coli; (resistant to Tetracycline), *Enterococcus faecalis*; (resistant to Kanamycin), *E. coli*; (resistant to Tetracycline), *Enterococcus faecalis*; (resistant to Vancomycin [VRE]), *Klebsiella oxytoca*; (resistant to Ampicillin, Dihydrostreptomycin), *Micrococcus sedentarius*; (resistant to Methicillin), *Staphylococcus aureus*; Intermediate Vancomycin Resistance (VISA), *Staphylococcus aureus*; (Resistant to Erythromycin, Penicillin, Streptomycin, Tetracycline), *Staphylococcus aureus*; (Resistant to Methicillin [MRSA], Gentamicin [GRSA]), *Staphylococcus epidermidis*, resistant to Methicillin (MRSE), *Streptococcus pneumoniae*; (resistant to penicillin [PRSP])

Viruses:

Adenovirus Type 2***, Cytomegalovirus, Hepatitis B virus (HBV)†, Herpes simplex Type 1, Herpes simplex Type 2, HIV-1**, Influenza Type A₂, Parainfluenza Type 3, Respiratory syncytial virus, Rotavirus, Vaccinia virus. **Veterinary viruses:** Avian Infectious bronchitis (IBV), Avian Influenza, Canine distemper, Feline viral rhinotracheitis, Infectious bovine rhinotracheitis, New Castle disease, Pseudorabies, Transmissible gastroenteritis virus (TGE), Hepatitis C virus (HCV)

Fungi/Yeast: *Fungi:* *Geotrichum candidum*, *Saccharomyces cerevisiae*, *Trichophyton mentagrophytes****. **Yeast:** *Candida albicans****

Mold/Mildew – kills the growth of mold and mildew: *Aspergillus niger* and the odors caused by them when applied to hard, non-porous environmental surfaces.

**Tests performed using 1 minute contact time.

***Tests performed using 5% serum.

†Tests performed using 5 minute contact time.



FOR COMMERCIAL & INDUSTRIAL USE ONLY

© 2005 JohnsonDiversey, Inc., Sturtevant, WI 53177-0902.

For further information on special applications or other Johnson Wax Professional products, contact your JohnsonDiversey representative, call us at 1-800-558-2332 or visit our web-site at www.johnsondiversey.com

Johnson wax
PROFESSIONAL